Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

Chester Mud No. 1 AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

August 2010

1

Part I	Site Identification, Location and Status
Site Names and ID numbers as applicable	
Mine ID:	187
Map ID:	N86
CERCLIS:	NNN000908987
Navajo Abano	doned Mine Land Reclamation Program: NA-0500
Local name /	Aliases: Chester Mud #1; Mud Mesa #1; Chester Mud 1
Chapter and	local area: Sweetwater Chapter
County: Apa	che State: Arizona
Lat/Long: 36.7111084 N / -109.403438142 W	
Nearby road and highway: Highway 191 Local Post Office: Rock Point	
Surface Land below	Status: check one or more and provide ownership and contact information
Tribal Trust I Private Bureau of Las State	Tribal Fee Land
Subsurface Mineral Rights:	
No information	n on subsurface mineral rights ownership was found in the EPA/AUM Database.
Claim and op	erator information:
the operator of	surface land status is classified as Tribal Trust Land. Historical documents showed the mine as Chester Mud in 1955, Earl R Hodges in 1955, and Mud Mesa Mining to 1957. No other historical ownership / lease information was identified in the tabase.
Number of residential structures within 200 feet of mine: None	
Estimated vol	lume of mine waste onsite: 10 yd^3

Part II Summary of radiological readings

Highest gamma radiation measurement:

37,082 counts per minute (cpm)

Describe any other radiological measurements:


A total of 2,969 gamma radiation measurements were collected from the mine site, ranging from 5,517 cpm to 37,082 cpm. Measurements collected in the vicinity of the adit were found at levels up to approximately 30,000 cpm. The measurements are represented in Figures 1 and 2.

Background Locations #1 8,630 cpm

Average background = 8,630 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 2969

 Minimum:
 5517.00000

 Maximum:
 37082.00000

 Sum:
 28136923.00000

 Mean:
 9476.90232

 Median:
 9070.00000

 Standard Deviation:
 2768.58616

August 2010

Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: Yes

NAMLRP Project Number: NA-0500

NAMLRP Mine features: 1 Portal

The following information was obtained from field observations collected during the 2010 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed reclamation work and status:

Adits

1 adit, sealed with rock and foam

Waste Piles

Waste rock scattered throughout site

Pits

None

Shafts

None

Other Debris and Mine Features

None

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

Chester Mud No. 1 mine consists of an area of 12,614.4 m². The mine was identified as being operational from 1955 to 1957. Historical documents showed the operator of the mine as Chester Mud in 1955, Earl R Hodges in 1955, and Mud Mesa Mining Co. from 1956 to 1957. While operational, the mine had a total reported production volume of 160 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): Chester Mud No. 1 **Chapter:** Sweetwater

Decision Criteria

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? Yes

Is the cap/seal functionally intact? Yes

Is the cap/seal sufficiently degraded to create a concern about releases? None

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

Sealed adit; scattered unreclaimed waste rock

Part VI Photos



Photo 1. Chester Mud No. 1 Mine Site



Photo 2. Chester Mud No. 1 Mine Site




Photo 3. Chester Mud No. 1 Mine Site

Part VII


Contacts Reports and Information Name: Stanley Edison (928) 871-6861 Eugene Esplain (928) 871-7331 Title or official role (if any) Navajo EPA Superfund Program Address___PO Box 2946, Window Rock, AZ 86515 Information provided Lead Regulatory Agency Name: Raymond Yazzie Title or official role (if any) Local resident, Leasee of mine in 1960 Address___PO Box 399 Information provided General background information for the area Name_____ Title or official role (if any) Telephone number_____ Information provided_____ Title or official role (if any) Telephone number Information provided_____

Figure 1 - Gamma Radiation Measurements, Above Two Times Background
Chester Mud No. 1 (187)
Sweetwater Chapter, Navajo Nation



Average background = 8,630 cpm


Figure 2 - Gamma Radiation Measurements Chester Mud No. 1 (187) Sweetwater Chapter, Navajo Nation



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- **2**0,000 50,000
- 50,000 100,000
- > 100,000





Inaccessible due to steep grades

Observed Adit

Gamma survey conducted 06/2010 Measured as counts per minute (cpm)

Average background 8,630 cpm

